

4

STATISTICAL TABLES

OF

THE ROYAL INFIRMARY OF EDINBURGH.

SIXTH SERIES:

FROM 1st OCTOBER 1847 TO 1st OCTOBER 1848;

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS
FOR THE YEAR 1848.

EDINBURGH:

PRINTED BY ROBERT HARDIE & CO.
20. FREDERICK STREET.

1849.

INDEX.

TABLE I. GENERAL STATEMENT of CASES treated in the ROYAL INFIRMARY, Edinburgh, between the 1st of October 1847 and the 1st of October 1848, . . .	page 3
II. The same Cases, arranged according to the Diseases; with the Results, . . .	4-8
III. GENERAL ABSTRACT, exhibiting the Numbers treated under each class of Diseases; with the Results, and Mortality per cent.	9
IV. Number of FEVER PATIENTS admitted in each Month during the Year ending 30th September 1848; with the Sex, and Monthly Mortality per Cent.	10
V. Table showing the Mortality per Cent. in FEVER CASES for the last Nine Years,	ib.
VI. Number of Patients admitted with SMALL POX; with the Deaths in each Month, and Total Mortality per Cent.	11
VII. Cases of SMALL POX admitted during the Year, arranged according to the Ages of the Patients,	ib.
VIII. Table showing the Number of PHTHISICAL PATIENTS admitted each Month from October 1847 to October 1848, classified according to Sex,	ib.
IX. The same Cases arranged according to the Age of the Patients; with the Results, and the Mortality per Cent.	12
X. Cases of PNEUMONIA, arranged according to the Date of Admission; with the Results, and Mortality per Cent.	ib.
XI. Cases of BRIGHT'S DISEASE, arranged according to the Date of Admission; with the Results, and Mortality per Cent.	13
XII. Cases of MORBUS CORDIS, arranged according to the Date of Admission; with the Results,	ib.
XIII. The same Cases Classified according to the Age of the Patients in Septennial Periods; with the Results, and Mortality per Cent.	14

TABLE I.

GENERAL STATEMENT of CASES treated in the ROYAL
INFIRMARY, EDINBURGH, between the 1st of October
1847 and the 1st of October 1848.

Total Cases treated to a termination during the year,	7446
Of these were dismissed—Cured,	5562
... .. Relieved,	452
Not Relieved, Irregular, or from other causes,	257
Died,	1175
	<hr/> 7446 <hr/>

TABLE II.

CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Average Residence.	Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.			
												Days.	Males.	Females
FEVER—	4694	2991	2478	...	20	493	1703	1471	...	3	229	26		
Febricula	101	57	57	44	44	7		
Intermittent	21	20	20	1	1	17		
Dothineritis	3	2	2	1	1	23		
Total Fevers,	4819	3070	2555	...	20	495	1749	1517	...	3	229	...	16·12	13·09
OF NERVOUS SYSTEM—														
Apoplexia	9	5	5	4	...	2	1	1	15		
Cephalalgia	5	3	...	2	1	...	2	1	...	1	...	13		
Chorea	3	1	1	2	2	8		
Delirium Tremens	40	33	20	1	...	12	7	6	1	14		
Dementia	1	1	1	21		
Epilepsy	14	8	4	2	1	1	6	1	2	2	1	18		
Hypochondriasis	3	1	1	2	...	2	17		
Hysteria	15	15	6	8	1	...	24		
Insanity	1	1	...	1	63		
Mania	6	4	4	...	2	2	...	19		
Melancholia	3	1	1	...	2	...	2	21		
Morbus Cerebri	10	7	...	4	...	3	3	...	1	...	2	11		
Myelitis	1	1	...	1	57		
Neuralgia	9	4	2	1	1	...	5	2	2	1	...	34		
Paralysis: kind not stated	12	10	1	7	...	2	2	...	2	36		
Hemiplegia	10	7	...	4	...	3	3	1	1	...	1	32		
Paraplegia	10	9	1	4	2	2	1	...	1	49		
Partial	5	4	1	...	2	1	1	1	...	95		
Spinal Irritation	10	10	4	6	24		
Vertigo	4	4	3	1	9		
Total of Nervous System,	171	103	34	27	12	30	68	23	30	9	6	...	29·12	8·82
OF ORGANS OF RESPI- RATION—														
Asthma	4	4	...	3	1	...	17		
Bronchitis	143	78	47	9	4	18	65	48	10	2	5	22		
Catarrhus Epidemicus	17	12	12	5	4	...	1	...	12		
Empysema	15	14	2	6	1	5	1	1	...	16		
Empyema	3	2	1	1	1	1	50		
Hæmoptysis	2	1	...	1	1	1	...	16		
Hydrothorax	2	2	1	1	37		
Laryngitis	11	4	2	1	1	...	7	5	...	1	1	15		
Pertussis	1	1	1	50		
Phthisis Pulmonalis	80	56	...	19	11	26	24	1	5	2	16	50		
Pleuritis	51	38	21	5	2	10	13	7	1	...	5	20		
Pleurodynia	5	4	3	1	1	1	14		
Pneumonia	88	66	34	2	1	29	22	11	2	...	9	24		
Pleuro-Pneumonia	16	14	8	1	...	5	2	1	1	28		
Pulmonum Gangræna	2	1	1	1	1	31		
Total Respiratory Organs,	440	293	132	47	20	94	147	78	21	9	39	...	32·08	26·53
OF ORGANS OF CIRCU- LATION—														
Angina Peetoris	2	2	1	1	15		
Aneurisma Internum	7	6	...	1	4	1	1	...	1	25		
Cardiac Dropsy	1	1	1	39		
Epistaxis	1	1	1	5		
Morbus Cordis	57	42	1	24	5	12	15	...	6	...	9	31		
Pericarditis	4	2	...	1	...	1	2	2	15		
Venæ Varicose	3	2	1	...	1	...	1	...	1	13		
Total Circulatory Organs,	75	55	4	27	10	14	20	...	8	...	12	...	25·45	60·00

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,
—Continued.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Average Residence.	Mortality per Cent.			
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.		Days.	Males.	Females	
OF THE DIGESTIVE ORGANS—																
Cardialgia	2	1	1	1	...	1	11				
Colica	5	4	2	1	1	...	1	1	10				
Constipatio	4	3	2	1	1	...	1	32				
Cynanche Tonsillaris	28	9	8	1	19	18	1	15				
Diarrhœa	28	23	18	1	1	3	5	5	18				
Dysenteria	40	28	17	1	1	9	12	7	5	27				
Dyspepsia	36	25	17	5	2	1	11	7	3	1	...	28				
Gastralgia	1	1	1	7				
Gastritis	1	1	1	41				
Glossitis	1	1	1	16				
Hæmatemesis	4	2	2	2	2	29				
Hepatis Morbus	18	11	2	4	1	4	7	2	1	...	4	32				
Hernia	5	4	1	1	1	1	1	1	16				
Hepatitis	3	3	1	...	1	1	30				
Icterus	4	2	2	2	2	14				
Marasmus	1	1	1	...	1				
Parotitis	3	3	...	2	...	1	9				
Parulis	1	1	1	3				
Peritonitis	15	6	1	2	...	3	9	5	...	2	2	17				
Puerperal Peritonitis	1	1	1	12				
Spleen Disease	6	6	2	2	2	15				
Stomach Disease	4	3	3	1	1	48				
Tympanitis	1	1	1	6				
Ulcerated Throat	8	5	5	3	3	23				
Vomiting	2	2	2	24				
Vermes	1	1	1	18				
Total Organs of Digestion,	223	143	83	21	11	28	80	56	7	4	13	...	19·58	16·25		
OF URINARY ORGANS—																
Bladder, Rupture of	1	1	1	2				
" Stone in	10	10	4	...	2	4	37				
" Inflammation of	1	1	...	1	10				
" Disease of— not specified	3	3	2	1	19				
Bright's Disease	25	18	...	6	3	9	7	...	2	2	3	34				
Diabetes Insipidus	1	1	1	29				
" Mellitus	3	2	...	1	...	1	1	...	1	72				
Fistula in Perinaeo	1	1	1	54				
Hæmaturia	1	1	1	41				
Kidney—Disease not spe- cified	7	3	...	1	...	2	4	...	1	1	2	17				
Nephralgia	2	2	2	9				
Nephritis	2	2	2	16				
Urethra, Bleeding from	2	2	2	5				
" Stricture of	17	17	8	6	2	1	20				
Urine, Incontinence of	1	1	...	1	21				
" Retention of	8	8	4	1	1	2	10				
Urinary Irritation	7	7	...	4	3	23				
Total of Urinary Organs,	92	79	21	20	15	23	13	...	5	3	5	...	29·11	38·46		
OF GENITAL ORGANS—																
Balanitis	1	1	1	36				
Gonorrhœa	22	10	6	2	2	...	12	9	...	3	...	19				
Hæmatocele	5	5	3	1	1	43				
Hydrocele	8	8	5	1	1	1	12				
Hydro-Sarcocoele	4	4	...	4	24				
Labia, Warts of	8	8	5	2	1	...	46				
Leucorrhœa	7	7	3	3	1	...	23				
Ovarian Dropsy	1	1	1	...	33				
Penis, Cancer of	1	1	1	11				
" Phag., Ulcer of	3	3	3	23				
" Warts of	2	2	2	21				
Phymosis	8	8	6	2	20				
Paraphymosis	3	3	3	15				
Scrotum, Disease of	2	2	2	29				
Carry forward,	75	47	32	10	4	1	28	17	5	6	...					

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,
—Continued.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Average Residence.	Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.		Days.	Males.
OF GENITAL ORGANS—														
continued—Bt. forward,	75	47	32	10	4	1	28	17	5	6	...			
Syphilis, Primary . . .	141	15	6	5	3	1	126	97	7	21	1	32		
" Secondary . . .	20	12	3	4	5	...	8	4	3	1	...	39		
Testis, Cancer of . . .	1	1	1	4		
" Chronic Enlarge-														
ment of . . .	3	3	1	2	31		
" Fungus of . . .	5	5	4	1	35		
" Disease of—not														
specified . . .	5	5	3	2	11		
Uterus, Schirrus of . . .	3	3	...	1	2	...	41		
" Cancer of . . .	3	3	...	1	...	2	17		
" Disease of—not														
specified . . .	6	6	2	4	50		
Amenorrhœa . . .	26	26	10	15	1	...	25		
Chlorosis . . .	9	9	2	5	1	1	23		
Menorrhagia . . .	3	3	3	28		
Total of Genital Organs,	300	88	49	24	13	2	212	135	41	32	4	...	2·27	1·88
OF THE INTEGUMEN-														
TARY SYSTEM. IN-														
CLUDING FEBRILE														
ERUPTIONS—														
<i>Exanthemata</i> —Erysipelas	84	44	35	9	40	32	8	22		
" Erythema . . .	4	4	4	15		
" Rubecola . . .	4	4	4	13		
" Scarlatina . . .	30	14	11	...	1	2	16	15	1	22		
" Urticaria . . .	1	1	1	11		
" Varicella . . .	2	2	2	12		
<i>Bullæ</i> —Rupia . . .	1	1	...	1	59		
<i>Maculæ</i> —Nævus . . .	1	1	1	5		
<i>Pustulæ</i> —Ecthyma . . .	3	3	3	23		
" Porrigo . . .	4	2	1	1	2	...	2	60		
" Sycosis . . .	3	3	2	1	41		
" Variola . . .	46	16	14	2	30	24	6	26		
<i>Squamæ</i> —Psoriasis . . .	11	5	1	4	6	4	2	51		
<i>Tuberculæ</i> —Lupus . . .	8	5	3	2	3	3	73		
<i>Vesiculæ</i> —Eczema . . .	13	7	3	4	6	4	2	29		
" Herpes . . .	2	2	2	30		
" Scabies . . .	3	2	2	1	1	18		
" Anthrax . . .	1	1	1		
Cellulitis . . .	2	1	1	1	1	20		
Furunculus . . .	2	2	1	...	1	11		
Tuberculosis . . .	2	1	1	1	1	49		
Skin Disease—not named	1	1	1	23		
Total of Integ. System, &c.	228	108	81	12	2	13	120	97	7	...	16	...	12·03	13·33
OF THE EYE—														
Amaurosis . . .	5	4	...	2	2	...	1	...	1	28		
Cataract . . .	3	3	2	...	1	19		
Chemosis . . .	1	1	1	6		
Corneitis . . .	8	8	7	...	1	19		
Conjunctivitis . . .	5	5	5	21		
Ectropion . . .	2	2	1	...	1	6		
Fistula Lachrymalis . . .	1	1	1	10		
Glaucoma . . .	1	1	1	24		
Iritis . . .	11	11	9	...	2	31		
Ophthalmia . . .	10	5	5	5	3	2	19		
Scleritis . . .	5	3	3	2	2	21		
Scleritis . . .	1	1	...	1	6		
Staphyloma . . .	1	3	3	2	2	23		
Ulcer of Cornea . . .	5	3	3	2	2		
Total Eye Diseases,	58	47	36	3	8	...	11	8	3		
OF THE EAR—														
Ulceration of Ear . . .	1	1	1	7		
Disease not specified	1	1	1	6		
Total Ear Diseases,	2	2	1	1	50	

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,
—Continued.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Average Residence.	Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.			
													Days.	Males.
OF THE NOSE AND MOUTH—														
Nasal Polypus	2	1	1	1	1	7		
Disease of Upper Jaw	1	1	1	34		
" of Lower Jaw	2	2	1	...	1	42		
Hare Lip	3	2	2	1	1	25		
Cancer of Lip	3	3	3	12		
Cancer of Mouth	1	1	1	16		
Uleers & Tumours of Lips	4	3	3	1	1	17		
Total of Nose and Mouth,	16	12	10	...	2	...	4	4			
OF THE LOCOMOTIVE ORGANS—														
Caries and Necrosis	36	29	15	4	4	6	7	...	3	1	3	51		
Club Foot	2	1	1	1	1	7		
Disease of Ankle Joint	12	10	3	4	2	1	2	2	67		
" " Elbow Joint	3	3	1	1	1	34		
" " Fingers	5	4	4	1	1	19		
" " Hip Joint	12	9	1	2	5	1	3	2	...	1	...	43		
" " Knee Joint	30	16	5	5	2	4	14	8	2	2	2	49		
" " Shoulder Joint	4	3	2	1	1	...	1	34		
" " Toes	2	2	2	36		
" " Vertebrae	2	1	...	1	1	1	...	33		
" " Wrist	2	2	1	...	1	...	50		
Division of Tendo Achilles	2	2	2	49		
Exostosis	3	3	3	61		
Imperfect Stump	2	1	...	1	1	...	1	34		
Ostitis	1	1	...	1	30		
Periostitis	12	9	5	2	2	...	3	1	1	1	...	37		
Phagedæna & Gangrenæ	10	6	2	...	1	3	4	2	2	21		
Spina Bifida	3	3	3	6		
Synovitis and Bursitis	28	13	13	15	15	47		
Whitlow	3	2	1	1	1	1	14		
Total of Locomotive Organs,	174	116	58	23	17	18	58	36	8	7	7	...	15.51	12.06
OF RECTUM & ANUS—														
Artificial Anus	1	1	...	1	97		
Condylomata	1	1	1	7		
Cancer of Rectum	1	1	1	...	5		
Fissura Ani	1	1	1	82		
Fistula in Ano	23	21	17	...	4	...	2	2	18		
Hæmorrhoids	7	6	4	2	1	1	9		
Imperforate Anus	1	1	1	20		
Warts of Anus	1	1	1	10		
Total of Rectum and Anus,	36	31	23	3	4	1	5	4	...	1	3.22	
TUMOURS—														
Abdominal Tumours	3	2	...	2	1	...	1	18		
Cancer	3	2	1	1	1	1	27		
Tumour of Cheek	1	1	1	10		
Tumours of Mamma	7	7	4	1	2	...	31		
Tumours of Neck	2	1	1	1	1	28		
Tumour of Scalp	1	1	1	8		
Tumour of Side	1	1	1	7		
Tumours of other parts	5	3	3	2	2	15		
Total Tumours,	23	9	5	2	1	1	14	9	2	2	1	...	11.11	7.14
ULCERS & ABSCESSES—														
Abscesses	29	22	12	4	1	5	7	5	2	31		
Sinuses	6	6	...	2	1	3	2	14		
Uleers of Leg	57	28	15	6	6	1	29	19	5	4	1	39		
Uleers of other parts	14	5	5	9	7	2	27		
Total Uleers and Abscesses,	106	61	32	12	8	9	45	31	7	4	3	...	14.75	6.66

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,
—Continued.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Average Residence.	Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.			
												Days.	Males.	Females
EXTERNAL INJURIES—														
Dislocation of Ankle	1	1	1	1			
" " Clavicle	2	2	2	3			
" " Femur	5	2	1	1	3	3	16			
" " Humerus	6	5	5	1	1	7			
Fracture of Cranium	2	2	2	32			
" " Femur	26	19	13	...	1	5	7	5	...	2	41			
" " Fibula	24	16	13	...	2	1	8	6	...	1	21			
" " Fore-arm	8	6	4	...	2	...	2	2	23			
" " Frontal Bone	1	1	1	83			
" " Humerus	12	11	7	...	2	2	1	1	35			
" " Leg	39	33	23	10	6	5	...	1	49			
" " Metacarpus	2	2	2	23			
" " Metatarsus	2	2	2	15			
" " Nose	1	1	1	13			
" " Patella	2	2	1	1	36			
" " Pelvis	2	2	1	1	22			
" " Radius	3	2	2	1	1	19			
" " Ribs	3	3	2	1	16			
" " Scapula	4	4	4	5			
" " Sup. Maxilla	2	2	1	1	21			
" " Tibia	34	30	23	...	1	6	4	4	49			
" " Ulna	1	1	1	15			
Injury of Ankle	1	1	1	9			
" " Arm	6	6	6	19			
" " Back	13	13	9	1	1	2	21			
" " Chest	1	1	1	1			
" " Eye	7	6	5	1	1	...	1	...	26			
" " Foot	19	19	16	1	1	1	16			
" " Hand	7	6	3	1	...	2	1	1	13			
" " Head	32	22	12	1	2	7	10	6	1	1	2	18		
" " Knee	6	3	2	1	3	3	23			
" " Leg	19	18	14	4	1	1	29			
" " Nose	3	3	3	16			
" " Popliteal Artery	1	1	1	24			
" " Side	5	3	1	2	2	2	10			
" " Spine	2	2	1	1	...	33			
Burns and Scalds	44	23	16	1	1	5	21	13	2	...	6	39		
Compression of Brain	2	2	1	1	2		
Contusions	4	4	4	4		
Cut Throat	2	2	2	22		
Gunshot Wounds	3	3	2	1	11		
Sprains	15	9	7	1	1	...	6	5	1	12		
Wounds	59	35	20	...	4	11	24	17	2	1	4	17		
Total External Injuries,	433	326	229	13	19	65	107	79	8	4	16	...	19·93	14·95
MISCELLANEOUS—														
Ancemia	1	1	...	1	19		
Anasarca	7	4	...	3	...	1	3	3	15		
Ascites	23	16	6	3	1	6	7	3	3	1	...	29		
Debilitas	6	3	...	3	3	...	2	1	...	25		
Inebrietas	13	8	5	1	...	2	5	5	3		
Lumbago	4	4	3	1	8		
Mercurialism	1	1	...	1	1		
Ædema	14	8	7	...	1	...	6	5	...	1	...	17		
Podagra	2	2	2	61		
Poisoning	14	6	3	3	8	7	1	3		
Rheumatism	122	68	35	25	4	4	54	36	14	3	1	28		
Sciatica	6	3	...	3	3	...	2	1	...	67		
Scrofula	5	4	...	2	...	2	1	1	32		
Scorbutus	6	6	6	55		
Moribund	5	3	3	2	2			
None, and not stated	21	14	4	5	3	2	7	3	2	...	2			
Total Miscellaneous,	250	150	71	47	9	23	100	62	24	7	7	...	15·33	7·00

TABLE III.

GENERAL ABSTRACT, EXHIBITING THE NUMBERS TREATED UNDER EACH CLASS
OF DISEASES; WITH THE RESULTS, AND MORTALITY PER CENT.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Mortality per Cent.	
		Total Males.	Cured.	Relieved.	Other Grounds.	Died.	Total Females.	Cured.	Relieved.	Other Grounds.	Died.	Males.	Females.
Fevers	4819	3070	2555	...	20	495	1749	1517	...	3	229	16.12	13.09
Of Nervous System . . .	171	103	34	27	12	30	68	23	30	9	6	29.12	8.82
Organs of Respiration . .	440	293	132	47	20	94	147	78	21	9	39	32.08	26.53
Organs of Circulation . .	75	55	4	27	10	14	20	...	8	...	12	25.45	60.00
Organs of Digestion . . .	223	143	83	21	11	28	80	56	7	4	13	19.58	16.25
Urinary Organs	92	79	21	20	15	23	13	...	5	3	5	29.11	38.46
Genital Organs	300	88	49	24	13	2	212	135	41	32	4	2.27	1.88
Integumentary System . .	228	108	81	12	2	13	120	97	7	...	16	12.03	13.33
Eye	58	47	36	3	8	...	11	8	3
Ear	2	2	1	1	50.	...
Nose and Mouth	16	12	10	...	2	...	4	4
Locomotive Organs . . .	174	116	58	23	17	18	58	36	8	7	7	15.51	12.06
Rectum and Anus	36	31	23	3	4	1	5	4	...	1	...	3.22	...
Tumours	23	9	5	2	1	1	14	9	2	2	1	11.11	7.14
Ulcers and Abscesses . . .	106	61	32	12	8	9	45	31	7	4	3	14.75	6.66
External Injuries	433	326	229	13	19	65	107	79	8	4	16	19.93	14.95
Miscellaneous	250	150	71	47	9	23	100	62	24	7	7	15.33	7.00
Total,	7446	4693	3423	281	172	817	2753	2139	171	85	358	17.44	13.00

TABLE IV.

Admissions of FEVER PATIENTS in each Month during the Year ending 30th September 1848; with the Sex, and Mortality per cent. during each Month.

DATE.	Total Males and Females.	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
1847, October .	685	428	257	73	29	17·05	11·28
„ November .	631	396	235	95	35	24·00	14·89
„ December .	567	360	207	63	28	17·50	13·52
1848, January .	580	362	218	60	32	16·57	14·68
„ February .	420	250	170	49	26	19·60	15·29
„ March .	393	241	152	25	20	10·37	13·15
„ April .	263	159	104	27	13	17·00	12·50
„ May .	225	138	87	23	15	16·16	17·24
„ June .	154	102	52	13	4	12·74	7·69
„ July .	144	77	67	13	8	17·00	12·00
„ August* .	85	44	41	10	2	22·72	4·87
„ September† .	35	15	20	8	1	53·33	5·10
Total,	4182	2572	1610	459	213	17·84	13·22

* The cases of Febricula are excluded from this Table.

† The admissions in July, August, and September, include only those dismissed or dying before October last.

TABLE V.

Showing the MORTALITY PER CENT. in FEVER CASES for the last Nine Years.

DATE.	Total Males and Females	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
From 1st July 1839 to 1st Oct. 1841	2194	1019	1175	153	148	15·1	12·59
„ 1st Oct. 1841 to 1st Oct. 1842	851	421	430	68	47	16·15	10·93
„ 1st Oct. 1842 to 1st July 1843	822	406	416	35	21	8·61	5·04
„ 1st July 1843 to 1st Oct. 1844	4645	2286	2359	189	172	8·27	7·29
„ 1st Oct. 1844 to 1st Oct. 1845	683	322	361	39	38	12·11	10·52
„ 1st Oct. 1845 to 1st Oct. 1846	693	381	312	54	36	14·17	11·53
„ 1st Oct. 1846 to 1st Oct. 1847	3780	2275	1505	351	151	15·42	10·03
„ 1st Oct. 1847 to 1st Oct. 1848	4819	3070	1749	495	229	16·12	13·09
Total,	18,487	10,180	8307	1384	842	13·58	10·13

TABLE VI.

Admission of Patients with SMALL POX; with the Number of Deaths in each Month, and Total Mortality per cent.

DATE.	Total Males and Females.	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
1847, October .	7	3	4	...	2		
„ November .	6	1	5	1	...		
„ December .	3	1	2		
1848, January .	3	2	1		
„ February .	1	...	1		
„ March .	4	1	3	1	1		
„ April .	3	1	2	...	1		
„ May .	10	3	7		
„ June		
„ July .	5	2	3	...	1		
„ August .	5	1	4	...	1		
„ September .	1	...	1		
Total,	48	15	33	2	6		

TABLE VII.

Cases of SMALL POX admitted during the Year 1847-1848, arranged according to the Ages of the Patients.

AGE.	Total Males and Females.	Males.	Females.	DIED.		Mortality.	
				Males.	Females.	Per Cent.	Average.
From 1 to 5 .	4	2	2	1	...		
„ 5 to 10 .	8	1	7	...	2		
„ 10 to 20 .	11	3	8	...	2		
„ 20 to 30 .	14	5	9	1	...		
„ 30 to 40 .	9	4	5	...	1		
„ 40 to 50 .	1	...	1	...	1		
„ 50 to 60 .	1	...	1		
Total,	48	15	33	2	6		

TABLE VIII.

Showing the Number of PHTHISICAL PATIENTS admitted each Month from October 1847 to October 1848, Classified according to Sex.

	1847, Oct.	Nov.	Dec.	1848, Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Total.
Males, .	3	8	7	3	1	8	3	9	4	5	2	1	54
Females,	1	3	3	3	1	3	2	3	1	1	21
Total,	4	11	10	6	2	11	5	12	5	5	2	2	75

TABLE IX.

The above Cases of PHTHISIS PULMONALIS arranged according to the Age of the Patients; with the Results, and Mortality per cent.

AGE.	Total Males and Females.	MALES.					FEMALES.					Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Males.	Females.
From 5 to 10	1	1	...	1
„ 10 to 15
„ 15 to 20	12	7	...	1	2	4	5	...	1	1	3	57·14	60·00
„ 20 to 30	33	26	...	8	6	12	7	1	2	...	4	46·15	57·14
„ 30 to 40	19	13	...	8	1	4	6	6	30·76	100·00
„ 40 to 50	6	4	1	3	2	2	75·00	100·00
„ 50 to 60	3	2	1	1	1	...	1	50·00	...
„ 60 to 70	1	1	1	100·00	...
Total,	75	54	...	18	11	25	21	1	4	1	15		

Total Mortality per cent.—Males, 46·29
 Females, 71·42
 Males and Females, 53·33

TABLE X.

Cases of PNEUMONIA, arranged according to the Date of Admission; with the Results, and Mortality per cent.

DATE.	Total Males and Females.	MALES.					FEMALES.				
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.
1847, October	5	4	3	1	1	1
„ November	13	11	...	1	...	10	2	1	1
„ December	11	6	1	5	5	2	3
1848, January	7	5	3	1	...	1	2	1	1
„ February	12	10	6	4	2	2
„ March .	13	6	1	5	7	3	1	...	3
„ April .	7	4	2	2	3	1	2
„ May .	10	9	8	1	1	1
„ June .	8	7	5	1	...	1	1	1
„ July .	5	4	3	1	1	1
„ August	9	6	5	1	3	2	1
„ September	3	3	2	1
Total	103	75	39	4	...	32	28	13	2	...	13

Mortality per cent.—Males, 42·66
 Females, 46·42
 Males and Females, 43·68

TABLE XI.

Cases of BRIGHT'S DISEASE, arranged according to Date of Admission ;
with the Results, and the Mortality per Cent.

Date.	Total Males and Females.	MALES.					FEMALES.				
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.
1847, October
„ November	1	1	...	1
„ December	2	1	1	1	1	...
1848, January	2	2	...	2
„ February	4	3	...	1	...	2	1	1
„ March .	5	3	...	1	...	2	2	...	2
„ April .	3	2	...	1	...	1	1	...	1
„ May .	2	1	1	1	1
„ June
„ July .	1	1	1
„ August	3	1	1	2	1	1
„ September
Total	23	14	...	5	...	9	9	...	4	2	3

Mortality per cent.—Males, . . . 64·28
 Females, . . . 33·33
 Males and Females, 52·17

TABLE XII.

Cases of MORBUS CORDIS, arranged according to Date of Admission ;
with the Results.

Date.	Total Males and Females.	MALES.					FEMALES.				
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.
1847, October	6	4	...	3	...	1	2	...	1	...	1
„ November	3	3	...	1	...	2
„ December	1	1	1
1848, January	3	3	...	3
„ February	7	3	1	2	4	...	1	...	3
„ March .	14	12	...	7	1	4	2	...	1	...	1
„ April .	4	3	...	2	...	1	1	1
„ May .	2	2	...	1	...	1
„ June .	5	3	...	1	1	1	2	2
„ July .	5	4	...	1	2	1	1	...	1
„ August	5	3	...	2	...	1	2	...	1	...	1
„ September
Total	55	41	1	23	5	12	14	...	5	...	9

TABLE XIII.

Cases of MORBUS CORDIS arranged according to the Age of the Patients in Septennial Periods; with the Results, and the Mortality per Cent.

Age.	Total Males and Females.	MALES.					FEMALES.					Mortality per Cent.	
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Males.	Females.
From 14 to 21	6	5	...	3	...	2	1	...	1	40·00	...
... 21 ... 28	5	3	2	...	1	...	2	...	1	...	1	...	50·00
... 28 ... 35	7	7	...	2	2	3	42·85	...
... 35 ... 42	10	6	...	4	...	2	4	...	1	...	3	33·33	75·00
... 42 ... 49	9	7	...	3	2	2	2	...	1	...	1	28·57	50·00
... 49 ... 56	5	4	...	3	...	1	1	1	25·00	100·00
... 56 ... 63	8	5	...	4	...	1	3	...	1	...	2	20·00	66·66
... 63 ... 70	1	1	1
... 70 ... 77	4	3	...	2	...	1	1	1	33·33	100·00
Total	55	41	3	21	5	12	14	...	5	...	9		

Total Mortality per cent.—Males, . . . 29·26

... .. Females, . . . 64·28

... .. Males and Females, 38·18

